

GARDEN HOUSES
SHEDS
SAUNAS
CARPORTS
AND MORE

The image features a lush, close-up background of green leaves, likely from a plant like ivy or philodendron, set against a dark, almost black background. The leaves are vibrant and detailed, showing clear vein patterns. A thin white border frames the central area where the text is located.

welcome



Hello!

We are a Polish company that has been operating on the market for over 20 years. Much has changed since then. Technology that has exceeded our wildest expectations is constantly evolving. However, one thing is unchangeable - our passion, in what we do, adoration for the natural beauty of wood, nature and the desire to do simply good things.

Our offer focuses mainly on garden houses, sheds, carports, swimming pools, saunas. Each of these areas is just as important to us.

Currently, we focus on further development, expanding the offer and improving the quality of our products. We believe that our determination in pursuing the goal and the commitment of the entire team make us a trustworthy partner.

WHAT WE CAN DO
for You

GARDEN HOUSES
SHEDS
SAUNAS
CARPORTS
AND MORE





*garden
houses*



DOM108

Width: 200cm
 Depth: 200cm
 Peak: 214cm
 Side wall height: 187cm
 Total weight: ±290kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x226xH43 cm



DOM106

Width: 200cm
 Depth: 246cm
 Peak: 214cm
 Side wall height: 187cm
 Total weight: ±310kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x272xH43 cm



DOM104

Width: 200cm
 Depth: 300cm
 Peak: 214cm
 Wall height: 187cm
 Total weight: ±290kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x330xH43 cm



DOM102

Width: 246cm
 Depth: 300cm
 Peak: 223cm
 Wall height: 178cm
 Total weight: ±400kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x330xH43 cm



DOM127

Width: 246cm
 Depth: 246cm
 Peak: 222cm
 Side wall height: 178cm
 Total weight: ±375kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x275xH43 cm



DOM133

Width: 300cm
 Depth: 300cm
 Peak: 231cm
 Wall height: 184cm
 Total weight: ±490kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x330xH46 cm



DOM262

Width: 246cm
 Depth: 246cm+70cm
 Peak: 227cm
 Side wall height: 176cm
 Total weight: ±400kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x325xH44 cm



DOM203

Width: 300cm
 Depth: 300cm
 Peak: 233cm
 Wall height: 185cm
 Total weight: ±610kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x340xH54 cm



DOM51

Width: 300cm
 Depth: 250cm
 Peak: 251cm
 Wall height: 191cm
 Total weight: ±570kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x340xH51 cm



DOM200

Width: 400cm
 Depth: 300cm
 Peak: 251cm
 Wall height: 189cm
 Total weight: ±730kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows. Extra window on the left wall.

Package dimensions:
 120x440xH52 cm



DOM1

Width: 300cm+100cm
 Depth: 300cm
 Peak: 233cm
 Wall height: 185cm
 Total weight: ±760kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x340xH55 cm



DOM140

Width: 300cm
 Depth: 200cm
 Peak: 237cm
 Wall height: 180cm
 Total weight: ±490kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x330xH49 cm



DOM91

Width: 300cm
 Depth: 300cm+90cm
 Peak: 242cm
 Wall height: 185cm
 Total weight: ±650kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x407xH50 cm



DOM131

Width: 300cm+300cm
 Depth: 300cm
 Peak: 243cm
 Wall height: 187cm
 Total weight: ±1000kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x340xH70 cm



DOM138

Width: 300cm
 Depth: 300cm
 Peak: 237cm
 Wall height: 180cm
 Total weight: ±660kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x340xH56 cm



DOM142 (for 28mm)

Width: 300cm
 Depth: 200cm
 Height: 81cm
 Total weight: ±190kg
 Floor thickness: 19mm
 Wall thickness: 28mm

Package dimensions:
 58x232xH41 cm



DOM100

Width: 300cm
 Depth: 400cm
 Peak: 248cm
 Wall height: 192cm
 Total weight: ±700kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 120x440xH58 cm



DOM137

Width: 400cm
 Depth: 300cm
 Peak: 255cm
 Wall height: 182cm
 Total weight: ±800kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Two pleksiglas windows with shutters
 in the front.

Package dimensions:
 120x440xH56 cm



DOM141 (for 28mm)

Width: 300cm
 Depth: 200cm
 Peak: 237cm
 Wall height: 190cm
 Total weight: ±190kg
 Roof thickness: 16mm
 Column thickness: 90mm

Bituminous felt on the roof.

Package dimensions:
 58x232xH41 cm



DOM226

Width: 400cm
 Depth: 500cm
 Peak: 252cm
 Wall height: 180cm
 Total weight: ±1000kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 One pleksiglas window with shutters.

Package dimensions:
 120x545xH57 cm



DOM130

Width: 400cm
 Depth: 400cm
 Peak: 252cm
 Wall height: 180cm
 Total weight: ±880kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 One pleksiglas window with shutters
 in the front.

Package dimensions:
 120x440xH56 cm



DOM17 (for 28mm)

Width: 400cm
 Depth: 200cm
 Peak: 251cm
 Wall height: 180cm
 Total weight: ±250kg
 Roof thickness: 16mm
 Column thickness: 90mm

Bituminous felt on the roof.

Package dimensions:
 58x285xH43 cm



DOM18

Width: 400cm
 Depth: 200cm
 Height: 81cm
 Total weight: ±250kg
 Floor thickness: 19mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.

Package dimensions:
 58x232xH41 cm



DOM97

Width: 500cm
 Depth: 500cm
 Peak: 246cm
 Wall height: 246cm
 Total weight: ±1200kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Package dimensions:
 120x545xH60 cm



DOM14

Width: 500cm
 Depth: 400cm
 Peak: 246cm
 Wall height: 180cm
 Total weight: ±950kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Two pleksiglas windows in the front.
 Package dimensions:
 120x545xH57 cm



DOM600 (for 28mm)

Width: 400cm
 Depth: 200cm
 Peak: 250cm
 Wall height: 180cm
 Total weight: ±300kg
 Roof thickness: 16mm
 Column thickness: 90mm

Bituminous felt on the roof.
 Package dimensions:
 60x440xH60 cm



DOM141 (for 28mm)

Width: 500cm
 Depth: 200cm
 Height: 81cm
 Total weight: ±300kg
 Floor thickness: 19mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas windows.
 Package dimensions:
 58x232xH41 cm



DOM348

Width: 400cm
 Depth: 300cm
 Peak: 240cm
 Wall height: 169cm
 Total weight: ±620kg
 Roof thickness: 12mm (OSB)
 Wall thickness: 28mm

Bituminous felt on the roof.
 One pleksiglas window on the left side wall.
 Package dimensions:
 120x425xH56 cm



DOM349

Width: 300cm
 Depth: 300cm
 Peak: 226cm
 Wall height: 169cm
 Total weight: ±520kg
 Roof thickness: 12mm (OSB)
 Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
 120x330xH56 cm



DOM377

Width: 500cm
 Depth: 400cm
 Peak: 235cm
 Wall height: 180cm
 Total weight: ±950kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Two pleksiglas windows in the front.

Package dimensions:
 120x545xH57 cm



DOM346

Width: 400cm
 Depth: 400cm
 Peak: 240cm
 Wall height: 169cm
 Total weight: ±725kg
 Roof thickness: 12mm (OSB)
 Wall thickness: 28mm

Bituminous felt on the roof.
 Pleksiglas window on the left side wall.

Package dimensions:
 120x425xH56 cm



DOM81

Width: 400cm
 Depth: 400cm
 Peak: 250cm
 Wall height: 192cm
 Total weight: ±900kg
 Roof thickness: 16mm
 Wall thickness: 34mm

Bituminous felt on the roof.
 One pleksiglas window on the right side wall.

Package dimensions:
 120x440xH67 cm



DOM80

Width: 400cm
 Depth: 300cm
 Peak: 250cm
 Wall height: 192cm
 Total weight: ±770kg
 Roof thickness: 16mm
 Wall thickness: 34mm

Bituminous felt on the roof.
 One pleksiglas window in the front.
 Package dimensions:
 120x440xH67 cm



DOM196

Width: 500cm
 Depth: 400cm+90cm
 Peak: 266cm
 Wall height: 189cm
 Total weight: ±990kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One double pleksiglas window in the front and one single on the left side wall.
 Package dimensions:
 120x543xH57 cm



DOM192

Width: 450cm
 Depth: 325cm + 190cm
 Peak: 278cm
 Wall height: 202cm
 Total weight: ±1550kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One double pleksiglas window in the front and one single on the right side wall.
 Package dimensions:
 120x525xH73 cm



DOM70

Width: 500cm
 Depth: 500cm+82cm
 Peak: 266cm
 Wall height: 183cm
 Total weight: ±1490kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One double pleksiglas window in the front and one single on the left side wall.
 Package dimensions:
 120x590xH68 cm



DOM194

Width: 500cm
 Depth: 400cm+190cm
 Peak: 266cm
 Wall height: 189cm
 Total weight: ±1850kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One double pleksiglas window in the front and one single on the left side wall.

Package dimensions:
 120x570xH79 cm



DOM136

Width: 600cm
 Depth: 400cm+70cm
 Peak: 277cm
 Wall height: 189cm
 Total weight: ±1700kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 Two pleksiglas windows in the front and one double window on the left side wall.

Package dimensions:
 120x610xH90 cm



DOM111

Width: 550cm
 Depth: 400cm
 Peak: 370cm
 Wall height: 191cm
 Total weight: ±2000kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 Pleksiglas windows in front and on the left and right side wall.

Package dimensions:
 120x612xH86 cm



DOM107

Width: 200cm
 Depth: 200cm
 Peak: 221cm
 Wall height: 215cm
 Total weight: ±295kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.

Package dimensions:
 120x226xH43 cm

Available product variants:
 200x200cm, 200x246cm,
 200x300cm, 246x300cm



DOM57

Width: 350cm
 Depth: 350cm
 Porch: 500x350cm
 Peak: 308cm
 Wall height: 206cm
 Total weight: ±1820kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One pleksiglas window in the front.

Package dimensions:
 120x530xH115 cm

Available in different dimensions.



DOM171

Width: 300cm
 Depth: 300cm
 Peak: 225cm
 Wall height: ____cm
 Total weight: ±600kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof. Three pleksiglas windows on the side wall.

Package dimensions:
 120x330xH57 cm

Available product variants:
 300x300cm, 400x300cm



DOM173

Width: 150cm
 Depth: 300cm
 Peak: 225cm
 Wall height: ____cm
 Total weight: ±420kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof. Three pleksiglas windows on side wall.

Package dimensions:
 120x330xH47 cm

Available product variants:
 150x300cm, 200x300cm



DOM232

Width: 300cm
 Depth: 300cm+120cm
 Peak: 219cm
 Wall height: 2147/2042 cm
 Total weight: ±710kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
 120x327xH61 cm



DOM229

Width: 246cm
 Depth: 246cm
 Peak: 221cm
 Wall height: 2141/2057mm cm
 Total weight: ±400kg
 Roof thickness: 16mm
 Wall thickness: 19mm

Bituminous felt on the roof.

Package dimensions:
 120x278xH50 cm

Available product variants:
 246x246cm, 300x200cm
 300x300cm



DOM355

Width: 400cm
 Depth: 300cm
 Peak: 219cm
 Wall height: 196cm
 Total weight: ±800kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 One pleksiglas window in the front.

Package dimensions:
 120x440xH56 cm

Available product variants:
 400x300cm, 400x400cm



DOM356

Width: 300cm
 Depth: 300cm
 Peak: 219cm
 Wall height: 2145/2042 cm
 Total weight: ±620kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
 120x330xH57 cm



DOM66

Width: 350cm
 Depth: 350cm
 Peak: 256cm
 Wall height: 228cm
 Total weight: ±1060kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.
 One pleksiglas window in the front.

Package dimensions:
 120x390xH69 cm

Available product variants:
 350x350cm, 400x300cm



DOM68

Width: 250cm
 Depth: 350cm
 Peak: 256cm
 Wall height: 228cm
 Total weight: ±950kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.

Package dimensions:
 120x390xH69 cm



ALT27

Width: 300cm
 Depth: 300cm
 Peak: 229cm
 Wall height: 205cm
 Total weight: ±532kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
 120x313xH42 cm

Available product variants:
 300x300cm, 400x300cm



DOM60

Width: 350cm
 Depth: 350cm
 Peak: 257cm
 Wall height: 225cm
 Total weight: ±650kg
 Roof thickness: 16mm
 Wall thickness: 45mm

Bituminous felt on the roof.

Package dimensions:
 120x390xH56 cm

Available product variants:
 350x350cm, 450x350cm



DOM222

Width: 240cm+240cm
 Depth: 240cm
 Peak: 266cm
 Wall height: 199cm
 Total weight: ±700kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof. One pleksiglas window in the front.

Package dimensions:
 120x340xH58 cm

Available product variants:
 240x240+240cm, 300x300+300cm
 380x380+380cm



DOM272

Width: 240cm+240cm
 Depth: 240cm
 Peak: 203cm
 Wall height: 192cm
 Total weight: ±800kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof. One pleksiglas window in the front.

Package dimensions:
 120x270xH70 cm

Available product variants:
 240x240+240cm, 300x300+300cm



DOM29

Width: 300cm
 Depth: 300cm
 Peak: 259cm
 Wall height: 208cm
 Total weight: ±600kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
 120x340xH56 cm

Available product variants:
 300x300cm, 400x300cm



DOM26

Width: 150cm
 Depth: 300cm
 Peak: 259cm
 Wall height: 197cm
 Total weight: ±450kg
 Roof thickness: 16mm
 Wall thickness: 28mm

Bituminous felt on the roof.
 Package dimensions:
 120x340xH47 cm

Available product variants:
 150x300cm, 200x300cm,
 250x300cm



DOM31

Width: 250cm
 Depth: 300cm
 Peak: 254cm
 Wall height: 197cm
 Total weight: ±250kg
 Roof thickness: 16mm
 Wall thickness: 28mm
 Column thickness: 90mm

Bituminous felt on the roof.

Package dimensions:
 58x335xH40 cm / 2 pcs.

Available product variants:
 250x300cm, 300x300cm,
 400x300cm

saunas





SAUNA1

Width: 215cm
Depth: 180cm
Peak: 218cm
Wall height: 218cm
Total weight: ±600kg
Roof thickness: 16mm
Wall thickness: 40mm

Glass doors. 2 benches with 2 headboards and stove cover. Thermal insulation of the roof.

Package dimensions:
120x245xH65 cm



SAUNA2

Width: 215cm
Depth: 215cm
Peak: 218cm
Wall height: 218cm
Total weight: ±672kg
Roof thickness: 16mm
Wall thickness: 40mm

Glass doors. 3 benches with 3 headboards and stove cover. Thermal insulation of the roof.

Package dimensions:
120x245xH65 cm



ALT21

Width: 300cm
Depth: 300cm
Peak: 244cm
Wall height: 217cm
Total weight: ±350kg
Roof thickness: 16mm
Columns: 4 x 120x120mm
Space between columns: 213cm

Bituminous felt on the roof.

Package dimensions:
58x300xH64 cm

Available different elements
to fill the walls.




ALT22

Width: 400cm
Depth: 300cm
Peak: 244cm
Wall height: 217cm
Total weight: ±480kg
Roof thickness: 16mm
Columns: 4 x 120x120mm

Bituminous felt on the roof.
Space between columns: 213 cm (short side),
324 cm (long side).

Package dimensions:
58x300xH64 cm

Available different elements
to fill the walls.



ALT23

Width: 500cm
Depth: 300cm
Peak: 244cm
Wall height: 217cm
Total weight: ±550kg
Roof thickness: 16mm
Columns: 6 x 120x120mm

Bituminous felt on the roof.
Space between columns: 213 cm.

Package dimensions:
58x300xH64 cm

Available different elements
to fill the walls.

sheds





woodshed



DRE

Width: 230cm
Depth: 100cm
Peak: 206cm
Wall height: 189cm
Total weight: ±110kg
Roof thickness: 16mm
Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
116x235xH26 cm



DRE2

Width: 460cm
Depth: 100cm
Peak: 211cm
Wall height: 184cm
Total weight: ±190kg
Roof thickness: 16mm
Wall thickness: 28mm

Bituminous felt on the roof.

Package dimensions:
116x235xH31cm



CAR6

Width: 300cm
Depth: 500cm
Peak: 257cm
Wall height: 219cm
Total weight: ±140kg
Roof ribbing: 45mm (7 pcs)
Columns: 3 x 90x90mm

Package dimensions:
78x300xH28 cm

Installation to the building wall.



CAR10

Width: 300cm
Depth: 500cm
Peak: 233cm
Height (front): 215cm
Height (back): 207cm
Total weight: ±300kg
Roof ribbing: 45mm (7pcs)
Columns: 6x120mmx120mm

Package dimensions:
120x300xH25 cm

Available product variants:
300x500cm, 600x500cm

Also available with a full gable roof.



carports





THANK YOU

